



ഭരണഭാഷ - മാതൃഭാഷ

സർക്കാർ മെഡിക്കൽ കോളേജ് ആശുപത്രി

പാരിപ്പള്ളി, കൊല്ലം PIN: 691 574



ടെലിഫോൺ: ഓഫീസ് - 0474 2575717

e-mail: gmchkollam@gmail.com


നം. സി- 2916/2021/ സ. മെ. കോ. ആ. കൊല്ലം.

തീയതി : 11/08/2021

പ്രസിദ്ധീകരണത്തിന്

കുട്ടേഴ്സൻ നോട്ടീസ്

കൊല്ലം സർക്കാർ മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ കാരുണ്യ ആരോഗ്യ സുരക്ഷാ പദ്ധതി (KASP) ഉൾപ്പെടെയുള്ള എല്ലാ ചികിത്സ പദ്ധതിയിലേക്കും കാർഡിയോളജി സർജറികൾക്ക് ആവശ്യമായ കാർഡിയോളജി കാത്ത് ലാബ് ഇനങ്ങളായ സ്റ്റെന്റ്, ബലൂൺ, വയറുകൾ രോഗികളുടെ സൗജന്യ ചികിത്സകൾക്കായി കരാർ പ്രകാരം നിശ്ചയിക്കപ്പെട്ട നിരക്കിൽ ലഭ്യമാക്കുന്നതിനു കാർഡിയോളജി കാത്ത് ലാബ് ഇനങ്ങൾ വിതരണം ചെയ്യുന്ന അംഗീകൃത രജിസ്ട്രേഷനുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും കുട്ടേഴ്സൻകൾ ക്ഷണിച്ചുകൊള്ളുന്നു . കുട്ടേഴ്സൻകൾ മുദ്രവെച്ച കവറിൽ (ഏത് സേവനം/വിതരണം എന്നുള്ളത് കൃത്യമായി കവറിനു പുറത്ത് രേഖപ്പെടുത്തേണ്ടതാണ്) നം. സി- 2916/2021/ സ. മെ. കോ. ആ. കൊല്ലം. തീയതി 11/08/2021 എന്ന് തലവാചകം രേഖപ്പെടുത്തി കൊട്ടേഴ്സൻകൾ 31/08/2021 വൈകുന്നേരം 4 മണിക്ക് മുൻപായി സൂപ്രണ്ട് ഓഫീസിൽ സമർപ്പിക്കേണ്ടതാണ്. കുട്ടേഴ്സൻകൾ ഓപ്പൺ ചെയ്ത് നെഗോസിയേഷൻ ചെയ്യുന്ന തീയതി പിന്നീട് അറിയിക്കുന്നതാണ് . വിതരണം ചെയ്യേണ്ട ഇനങ്ങളുടെ പട്ടിക സി സെക്ഷനിൽ നിന്നും വാങ്ങി അതിനനുസൃതമായി വേണം കുട്ടേഴ്സനിൽ രേഖപ്പെടുത്തേണ്ടത്. കൂടുതൽ വിവരങ്ങൾക്ക് പ്രവർത്തിസമയം സി സെക്ഷനും ആയോ 0474-2575717 എന്ന നമ്പറിലോ ബന്ധപ്പെടാവുന്നതാണ്. കുട്ടേഴ്സനിൽ സൂചിപ്പിച്ചിട്ടുള്ള സാധനങ്ങളുടെ ലിസ്റ്റ് gmchkollam.edu.in എന്ന വെബ്സൈറ്റിൽ ലഭ്യമാണ്.


 മെഡിക്കൽ സൂപ്രണ്ട്

കരാർ വ്യവസ്ഥകൾ

1. കരാർ കാലാവധി വിതരണ ഉത്തരവ് നൽകുന്ന തീയതി മുതൽ ഒരു വർഷ കാലയളവിലേക്കായിരിക്കും.
2. കരാർ നിർദ്ദേശങ്ങൾ പാലിക്കാതെ വന്നാൽ നിശ്ചിത കാലാവധിക്ക് മുൻപ് എപ്പോൾ വേണമെങ്കിലും 7 ദിവസം മുൻപ് നോട്ടീസ് നൽകി കരാർ റദ്ദ് ചെയ്യുന്നതിനുള്ള അധികാരം മെഡിക്കൽ സൂപ്രണ്ടിൽ നിക്ഷിപ്തമാണ്.
3. ക്വട്ടേഷൻ കാലാവധിക്ക് ശേഷം നിലവിലുള്ള ഉപാധികളുടെയും നിബന്ധനകളുടെയും അടിസ്ഥാനത്തിൽ കാലാവധി 2 മുതൽ 3 വർഷം വരെ ദീർഘിപ്പിച്ചു നൽകുന്നതിനുള്ള അധികാരം മെഡിക്കൽ സൂപ്രണ്ടിൽ നിക്ഷിപ്തമാണ്.
4. തിരഞ്ഞെടുക്കപ്പെട്ട കരാറുകാരൻ , 24x7 സമയ വ്യവസ്ഥയിൽ അടിയന്തര സാഹചര്യങ്ങളിൽ സേവനം വേണ്ടിവരുന്ന രോഗികളുടെ ആവശ്യകതയ്ക്ക് അനുസരിച്ച് ഉപകരണങ്ങൾ യാതൊരു വിധ അധിക ചെലവുകളും ഇല്ലാതെ വിതരണം ചെയ്യാൻ ബാധ്യസ്ഥനായിരിക്കും.
5. ഈ കാലയളവിൽ മറ്റുള്ള ഏജൻസികളെയും കരാറിൽ എംപാനൽ ചെയ്യാനുള്ള അധികാരം മെഡിക്കൽ സൂപ്രണ്ടിൽ നിക്ഷിപ്തമാണ്


മെഡിക്കൽ സൂപ്രണ്ട്


SL No	Name of Items
1	Diagnostic Catheter.(Judkins - JL, JR, AL1, AL2, AL3, AR1, AR2, Pigtail, GL, NIH)
2	Tigerr curve diagnostic radial catheter , 100cm with one side hole with 0.038" guide wire compatable.
3	FDA/CE/PMDA approved Radial sheath 7cm long size ranging from 5Fr to 7Fr. Length - 11cm, guidewire-0.021.
4	FDA/CE/PMDA approved Femoral sheath all length & size . (5F, 6F, 7F, 8F, 9F)
5	FDA/CE/PMDA approved . 150cm long Hydrophilic guide wire, 0.018, angled /straight tip type.
6	FDA/CE/PMDA approved. 180cm long Hydrophilic guide wire , 0.018, angled/ straight tip type.
7	FDA/CE/PMDA approved. 260cm long Hydrophilic guide wire , 0.018, angled/ straight tip type.
8	FDA/CE/PMDA approved. 150cm, 260 cm Hydrophilic nitinol guide wire, angled/ straight tip type. 0.035"
9	PTFE coated guidewire all length angled / straight tip type. 0.035"
10	IABP Balloon.
11	Contrast 300*100ml.
12	Contrast 350*100ml.
13	Contrast non-ionic 320*50ml.
14	200cm long, pressure monitoring line.
15	Pressure bag 500ml.
16	Pressure bag 1000ml.
17	Puncture needle (radial).
18	Puncture needle (18G, 20cm). (Cook)
19	Puncture needle (21G, 4cm).
20	Jelco.
21	INFLATION DEVICE
22	Y Connector.
23	DCGI/CE/FDA approved 3 port manifold.
24	Control Syringe
25	IV Set, 3-way stop cock
26	Temporary Pacing lead and Pacemaker
27	Snare - ENSNARE
28	Covered Stent 2.5 X 15, 3.0 X 15, 3.5 X 15 Graftmaster
29	Microembolisation coil and microcatheter
30	Sutures

SL No.	Name of Items
1	Guiding Catheter
2	Guideliner / Guidezilla catheter
3	Micro Catheter, Proximal outer diameter 2.8Fr, Tip outer diameter 2.6Fr, 135 cm length.
4	Micro Catheter, Proximal outer diameter 2.8Fr, Tip outer diameter 2.6Fr, 150 cm length.
5	Micro Catheter, Proximal outer diameter 2.6Fr, Tip outer diameter 1.8Fr, 130 cm length.
6	Micro Catheter, Proximal outer diameter 2.6Fr, Tip outer diameter 1.8Fr, 130 cm length.
7	Thrombus Aspiration Catheter
8	Thrombus Aspiration Catheter with Stylet
9	190 cm long, 0.8 tip load PTCA work horse wire- Straight / J tip- Core material stainless steel Radiopaque length -
10	182 cm long PTCA work horse wire- Straight / J tip- Core material stainless steel, Hydrophilic, Radiopaque length -
11	180 cm long, 0.5g tip load PTCA work horse wire- Straight / J tip- Slip Coat coating over the spring coil, Radiopaque length - 30mm, Silicon coating tip
12	180 cm long, 0.8g tip load PTCA wire, Straight / J tip- Slip Coat coating over the Jacket, Polymer jacket coating,
13	180 cm long, 0.8g tip load PTCA wire, Straight tip. Polymer jacket coating 20 cm, Slip coat coating over the jacket
14	180 cm long, 0.6g tip load CTO wire, Polymer jacket coating 16 cm, Slip coat coating over the jacket, Tapered tip,
15	180 cm long, 1g tip load CTO wire, Polymer jacket coating 16 cm, Slip coat coating over the jacket, Tapered tip,
16	180 cm long, 1.7g tip load CTO wire, Slip Coat coating over the spring coil, Tapered tip, Radiopaque length - 15mm.
17	180 cm long, 3.5g tip load CTO wire, Slip Coat coating over the spring coil, Tapered tip, Radiopaque length - 15mm.
18	180cm long, 4.5g tip load CTO wire, Slip Coat coating over the spring coil, Tapered tip, Radiopaque length - 15mm.
19	180cm long, 3g tip load CTO wire, Silicon Coat coating over the spring coil, Radiopaque length - 11mm.
20	180cm long, 4.5g tip load CTO wire, Silicon Coat coating over the spring coil, Radiopaque length - 11mm.
21	180cm long, 6g tip load CTO wire, Silicon Coat coating over the spring coil, Radiopaque length - 11mm.
22	180cm long, 12g tip load CTO wire, Silicon Coat coating over the spring coil, Radiopaque length - 11mm.
23	180cm long, 9g tip load CTO wire, Slip Coat coating over the spring coil excluding the tip, Tapered tip Radiopaque
24	180cm long, 12g tip load CTO wire, Slip Coat coating over the spring coil excluding the tip, Tapered tip Radiopaque
25	180cm extra support long PTCA wire 0.7g tip load. Silicon coating over the spring coil Radiopaque length 4cm.
26	330cm length, 3g tip load CTO wire for PTCA, Radiopaque length 3cm.
27	300cm length, straight tip shape, .8g tip load double length CTO wire for PTCA.
28	190cm long PTCA Wire 1g tip load. Hydrophilic coating full polymer cover, Radiopaque length 3 cm
29	180cm long extra support PTCA wire 0.6g tip load. Hydrophilic coating, Proximal PTFE coating, Distal 2mm silicon
30	180cm long PTCA wire 1g tip load. Hydrophilic coating, Proximal PTFE coating, Distal 2mm silicon coating. Radiopaque
31	180cm long extra support PTCA wire 1g tip load. Enhanced Hydrophilic coating up to the tip. Radiopaque length-3cm.
32	Extension wire 150cm. Compatible with all PTCA wire
33	Semi-compliance / Non compliance balloon, DCGA approved only
34	Carotid stent
35	Peripheral stent
36	Renal Stent
37	Semi-compliance balloon, CE/FDA approved, Hydro X coating, XD shaft, Z tip. Balloon diameters
38	Non-compliance balloon, CE/FDA approved, Hydro X coating guide wire luman invio coating.
39	CE/FDA Approved semi-compliance/ Non-compliance balloon. Balloon diameter- 1.20mm, 1.5mm, 2mm, 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm, 4.5mm & 5mm.
40	CE/FDA Approved semi-compliance. Non-compliance. Balloon diameter- 1mm, 1.25mm, 1.5mm, 2mm, 2.25mm, 2.5mm, 2.75mm, 3mm, 3.25mm, 3.5mm.
41	CE/FDA Approved Non compliance balloon. Balloon diameter-
42	CE/FDA Approved semi-compliance/ Non-compliance balloon.

43	PMDA japan approved Non compliance Balloon. Normal pressure @12atm. Rated Burst Pressure @ 20atm. Proximal shaft diameter 19Fr , Hydrophilic Coating,lesion.
44	PMDA japan approved Non compliance Balloon. Normal pressure @10atm. Rated Burst Pressure @ 20atm. Proximal shaft diameter 2Fr , Hydrophilic Coating,lesion
45	PMDA Japan approved semi compliance CTO balloon. Normal Pressure @ 6atm, Rated Burst Pressure 20atm. Proximal shaft diameter 1.9Fr, M II Hydrophilic
46	PMDA japan approved semi compliance Balloon. Shaft length 148 , Norminal pressure @ 6atm, Rated Burst Presssure@ 14atm. Proximal shaft diameter 2 Fr
47	Peripheral balloon
48	Cutting balloon
49	Scoring balloon
50	Snare all size
51	Embolization coils-all available lenghts
52	Balkin sheath
53	FFR wire
54	Rotablation set
55	Rotablation burr
56	Rota wire
57	Contrast 300*100ml
58	Contrast 350*100ml
59	Contrast non-ionic 320*50ml
60	CE/FDA approved, Inflation Device
61	Distal protection device
62	IVUS CATHETER
63	OCT CATHETER
64	VVI Tined lead/Screw in lead . Non MRI , warranty- Life time
65	VVI Tined lead/Screw in lead . Non MRI , warranty- minimum 10 year
66	VVI Tined lead & Screw in lead. MRI ,warranty- Life time
67	VVIR Tined lead/Screw in lead. Non MRI , warranty -Life time
68	VVIR Tined lead/Screw in lead. MRI , warranty -Life time
69	VVIR Tined lead/Screw in lead. MRI, warranty -minimum 10 year
70	DDD Tined lead/Screw in lead. Non MRI, warranty- Life time
71	DDD Tined lead/Screw in lead. MRI, warranty- Life time
72	DDD Tined lead/Screw in lead. MRI, warranty- minimum 10 year
73	DDDR Tined lead/Screw in lead. Non MRI,warranty -Life time
74	DDDR Tined lead/Screw in lead. Non MRI,warranty -minimum 10 year
75	DDDR Tined lead/Screw in lead. MRI,warranty-Life time
76	DDDR Tined lead/Screw in lead, MRI,warranty-minimum 10 year
77	VVI PG non MRI only
78	VVI PG MRI only
79	VVIR PG non MRI only
80	VVIR PG MRI only
81	DDD PG non MRI only
82	DDD PG MRI only
83	DDDR PG Non MRI only
84	DDDR PG MRI only
85	ICD-SINGLE CHAMBER, DF4, MRI compatible. Warranty-10 year

86	ICD-SINGLE CHAMBER, DF1, MRI compatible. Warranty-10 year
87	ICD-DUEL CHAMPER, DF4,MR1. Warranty-8 year
88	ICD-DUEL CHAMPER, DF1,MR1. Warranty-7 year
89	CRT P, Bipolar , Non- MRI. Warranty-5 year
90	CRT P, Bipolar , MRI. Warranty-5 year
91	CRT P, quadrupolar ,MRI. Warranty -minimum 5 year
92	CRT D, quadrupolar, MRI. Warranty -minimum 5 year
93	CRT D, quadrupolar,non MRI. Warranty -minimum 5 year
94	ICD-SINGLE CHAMBER ,DF4, MRI compatible -PG only
95	ICD-SINGLE CHAMBER,DF4, Non-MRI- PG only
96	ICD-SINGLE CHAMBER, DF1, Non MRI . PG only
97	ICD-DUEL CHAMBER ,DF1, Non-MRI. PG only
98	CRT P, Bipolar, MRI. PG only
99	CRT P, quadrupolar ,MRI. PG only
100	CRT D , quadrupolar, MRI. PG only
101	CRT D, quadrupolar, non-MRI. PG only
102	DCGI only approved SIROLIMUS Coronary stents COBALT CHROMIUM PLATFORM. Length- 8mm, 13mm, 16mm 19mm 24mm, 29mm, 32mm, 37mm, 40mm
103	DES, EVEROLIMUS, DCGI approved COBALT CHROMIUM PLATFORM, Diameter- 2.25mm, 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm & 4.5mm. Length- 13mm, 16mm, 19mm, 24mm, 29mm, 32mm, 37mm, 40mm, 44mm, 48mm.
104	DES, SIROLIMUS, FDA/CE approved COBALT CHROMIUM PLATFORM With AMORPHOUS SILICION CARBIDE COATING. Length- 9mm, 13mm, 15mm, 18mm, 22mm, 26mm, 30mm, 35mm, 40mm, Diameter- 2.25mm, 2.5mm, 2.75mm,
105	DES, EVEROLIMUS, FDA/CE approved PLATINUM CHROMIUM PLATFORM.
106	DES, EVEROLIMUS, FDA/CE approved COBALT CHROMIUM PLATFORM.
107	DES, EVEROLIMUS, FDA/CE approved COBALT CHROMIUM PLATFORM. Strut thickness 50 mu m
108	DES SIROLIMUS, FDA/CE Approved COBALT CHROMIUM PLATFORM Length - 8mm, 13mm, 16mm, 19mm, 24mm, 29mm, 32mm, 37mm, 40mm, 44mm, 48mm. Diameter- 2mm, 2.25mm, 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm, 4.5mm
109	DES SIROLIMUS, FDA/CE Approved COBALT CHROMIUM PLATFORM Length - 8mm, 13mm, 16mm, 19mm, 24mm, 29mm, 32mm, 37mm, 40mm, 44mm, 48mm. Diameter- 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm, 4.5mm.
110	DES SIROLIMUS, FDA/CE Approved COBALT CHROMIUM PLATFORM Length - 8mm, 13mm, 16mm, 19mm, 24mm, 29mm, 32mm, 37mm, 40mm, 44mm, 48mm. Diameter- 2.25mm, 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm, 4.5mm.
111	DES, SIROLIMUS, FDA/CE Approved COBALT CHROMIUM PLATFORM Length - 8mm, 13mm, 16mm, 19mm, 24mm, 29mm, 32mm, 37mm, 40mm, 43mm, 47mm. Diameter- 2.25mm, 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm, 4.5mm
112	DES, SIROLIMUS, FDA/CE Approved COBALT CHROMIUM PLATFORM Length - 12mm, 16mm, 20mm, 24mm, 28mm, 32mm, 36mm, 40mm, 44mm, 48mm. Diameter- 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm.
113	DES, SIROLIMUS, FDA/CE Approved COBALT CHROMIUM PLATFORM Length - 8mm, 13mm, 18mm, 23mm, 28mm, 33mm, 38mm. Diameter- 2.5mm, 2.75mm, 3mm, 3.25mm, 3.5mm, 4mm.
114	DES, ZOTAROLIMUS, FDA/CE Approved COBALT CHROMIUM PLATFORM.
115	SIROLIMUS ELUTING Bifurcation stent, DCGI, CE APPROVED, COBALT CHROMIUM PLATFORM.
116	Tapered Stent. CE APPROVED, COBALT CHROMIUM PLATFORM.
117	DES, SIROLIMUS, FDA/CE Approved STAINLESS STEEL PLATFORM. Length -12mm, 16mm, 18mm, 21mm, 24mm, 28mm, 32mm, 40mm Diameter- 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm.
118	DES, SIROLIMUS, FDA/CE Approved COBALT CHROMIUM PLATFORM. Length -12mm, 16mm, 18mm, 21mm, 24mm, 28mm, 32mm, 40mm Diameter- 2.5mm, 2.75mm, 3mm, 3.5mm, 4mm.

Handwritten signature and date:

 20/11/2017