



“ഭരണഭാഷ-മാതൃഭാഷ”
(MOTHER TONGUE IS OUR ADMINISTRATIVE LANGUAGE)

GOVERNMENT MEDICAL COLLEGE

PARIPALLY, KOLLAM-691574
Telephone Office : 0474 2572574, Fax: 0474 2572579 Telephone Principal: 0474-2572572
Electronic mail: gmckollam@gmail.com Section Email: store.gmckollam@gmail.com

No.C1/9414/2022/GMCKLM

Dated: 24/01/2023

Re-TENDER NOTICE

Sealed Competitive Tenders in the Prescribed form are invited for the supply of the following items required for the department of Biomedical Engineering, Government Medical College, Kollam. Tender should be super scribed with tender number and addressed to the principal, Medical College, Kollam, Pin-691 574. Details can be had from this office on working hours till 5.00 PM

SCHEDULE

Sl. No	Tender No	Name of Items	Qty.	Department	Total Cost	EMD	Cost of Tender form (Inclusive vat)		Last date of sale of Tender form	Last date of receipt of tender	Opening date and time
							Original	Duplicate			
1	21/2022	Tools (List attached)	Vari ous	Biomedical Engineering	₹1,50,000/-	1%	504	252	08/02/2023 3pm	09/02/2023 2.30pm	09/02/2023 3pm

Tender form will be sent through post if required provided due amount with sufficient postage charge (Rs.50/-) is sent by way of money order in favour of the Principal, Government Medical College, Kollam, Pin-691 574. Money order should reach this office on or before 31/01/2023. No other forms of remittance will be accepted.


For PRINCIPAL.



“ രണ്ടോമ-മാത്യോമ ”

സർക്കാർ മെഡിക്കൽ കോളേജ്

പാരിഷള്ളി, കൊല്ലം-691574

ടെലഫോൺ: ആഫീസ്-0474 257 2574, ഫാക്സ്: 0474-2572579 ടെലഫോൺ: പ്രിൻസിപ്പാൾ: 0474-2572572

ഇലക്ട്രോണിക് മെയിൽ: smckollam@smmail.com സെക്ഷൻ ഇലക്ട്രോണിക് മെയിൽ: store.smckollam@smmail.com

നമ്പർ:സി/9414/2022/ജി.എം.സി. കൊല്ലം

തീയതി: 24/01/2023

പുനർ ദർഘാസ് പരസ്യം

കൊല്ലം സർക്കാർ മെഡിക്കൽ കോളേജിലെ ബയോമെഡിക്കൽ വിഭാഗത്തിലേക്കായി ആവശ്യമായ താഴെപ്പറയുന്ന സാധനങ്ങൾ വീതരണം ചെയ്യുന്നതിന് നിശ്ചിത ഫോറത്തിൽ മുദ്രപച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസുകൾ ദർഘാസ് നമ്പരോടുകൂടി നിശ്ചിത തീയതികളുമുൻപ് പ്രിൻസിപ്പാൾ, ഗവ.മെഡിക്കൽ കോളേജ്, കൊല്ലം - 691 574 എന്ന വിലാസത്തിൽ എത്തിച്ചിരിക്കേണ്ടതാണ്.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പർ	സാധനങ്ങളുടെ പേര്	എണ്ണം	ഡിപ്പാർട്ടുമെന്റ്	അടകൽ തുക	പ്രൈം പ്രൈം	ദർഘാസ്		ഫോറം വിൽക്കുന്ന അവസാന തീയതി	ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതി	ഫോറം തുറക്കുന്ന തീയതി
							ഫോറത്തിന്റെ വില	മുദ്രപച്ച			
1	21/2022	ടൂൾസ്	വിവിധം	ബയോമെഡിക്കൽ എൻജിനീയറിംഗ്	₹ 1,50,000/-	1%	504	252	08/02/2023 3 റ്റണി	09/02/2023 2.30 റ്റണി	09/02/2023 3 റ്റണി

ഫോറങ്ങൾ തപാലിൽ വേണ്ടവർ അയയ്ക്കുന്നതിനുവേണ്ട തുക (രൂപ.50/-) അധികമായി അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ഓഫീസിൽ നേരിട്ടോ മണിയോർഡർ ആയോ സ്വീകരിക്കുന്നതാണ്. അല്ലാതെയുള്ള എല്ലാ അപേക്ഷകളും നിരസിക്കുന്നതാണ്. ഫോറത്തോടൊപ്പം മുദ്രപത്രങ്ങളോ മറ്റേതെങ്കിലും ഡോക്യുമെന്റുകളോ അയയ്ക്കാൻ ആവശ്യപ്പെടുകൊണ്ടുള്ളതും മേൽവിലാസം വ്യക്തമല്ലാത്തതുമായ മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. മണിയോർഡറുകൾ വഴി ഫോറങ്ങൾ ആവശ്യപ്പെടുകൊണ്ടുള്ള അപേക്ഷകൾ ഈ ഓഫീസിൽ 31/01/2023 നു മുൻപ് മണിയോർഡറുകൾ കിട്ടുന്ന മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം കൈമാറാൻ പാടില്ലാത്തതും കിട്ടിയിരിക്കണം. താമസിച്ച് കിട്ടുന്ന മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം കൈമാറാൻ പാടില്ലാത്തതും ഒരിക്കൽ അടച്ച തുക തിരിച്ചുപിടിക്കുന്നതുമല്ല. താമസിച്ച് കിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. കുടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ഭിന്ദനങ്ങളിൽ ഈ ആഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

പ്രിൻസിപ്പാളിനുവേണ്ടി

SL NO	ITEM NAME	SPECIFICATION	UNIT	QTY
1	Ball peen hammer	1/2 kg	Nos	2
2	Battery Charger	9v,1.5v AA ,AAA and AAAA Input 230v,2A Output:1.5 v 250mA	Nos	2
3	Combination Plier	150 mm	Nos	3
4	Digital Thermometer	(-) ^o 70 ^o C to 200 ^o C with carry case	Nos	3
5	Heavy Double end screw driver(Philips and Flat)	250mm	Nos	2
6	Grip plier	250mm	Nos	1
7	Bolt Cutter	8 bit 12 in 1 Blade material alloy steel	NOs	1
8	Needle Nose Pliers	135mm	Pkt	1
9	Bent Nose Spike Mouth Pliers	Item weight:300g,diamention:L×W×H : 16×6×1 cm	Nos	2
10	Mini pipe wrench	8",chrome vanadium steel, Head style: Round	Nos	2
11	Heavyduty line tester	150mm 600V-Grade,neon lamp	Nos	2
12	Known Weight	5 Kg	Nos	1
13	Known Weight	1 Kg	Nos	1
14	Known Weight	1 Kg	Nos	1
17	Circlip pliers	13 inch	Nos	1
18	Shearing Pliers	150 mm	Nos	1
19	Bail making pliers	Round Ends 6mm/8.5mm. L×W×H:12.7×2.5×20.3 cm	Nos	1
20	Canvas Pliers	15.75×7.87×11.81 inches	Set	1
21	Hose Grip Pliers	Length: 235mm , Weight: 380g	Set	1
22	Nail Puller Pliers	Round,nose,overall length:6 inch.Handle material:Rubber. Body material:iron	Nos	1
23	Push Pin Pliers	Height:16.54 inch,Width:0.98 inch,Dimension:6.29 inch	Nos	1
24	Welding Pliers	Size:8inch, Material : mild steel, Length: 20mm	Nos	1
25	Wire Twisting Pliers	Length:10 3/8 inch, max wire diameter:0.6 inch, mim wire diameter:0.2 inch	Nos	2
26	Internal straight Nose pliers	Length:320mm, Nose type: internal straight, weight: 410g	Nos	1
27	Snap Ring Pliers	4 inch with circlip combination	Nos	1
28	Standard Wire Gauge	All size wire measurement	Nos	1
29	Tool Bag	Heavy Duty Tool Case with Pocket Pallets, Pull Handle ,ABS plastic , Weather Resistant, Carrying case Vacuum Formed Construction.	Nos	2
30	Internal Bent Nose Pliers	Material: steel,vanadium, dimension L×W×H : 180× 54 ×10 cm , Weight :220g, Handle material: Alloy steel	Nos	1
31	Brazing rod	Copper	Nos	20
32	Brazing rod	Silver Copper	Nos	5
33	Butane gas with porable container and welding torch	Double nozzle type 225 gram of butane gas	Nos	2
34	Butane gas with porable container and welding torch	Single nozzle type 225 gram of butane gas	Nos	1
35	Condenser fan motor	35 Watts	Nos	3
36	Copper tube	Annealed type 1/4" size	Mtr	2
37	Copper tube	Annealed type 3/8" size	Mtr	5

38	Copper tube	Annealed type 5/8" size		
39	Copper tube	Annealed type 1/2" size	Mtr	
40	Cylinder Valve Key	Stainless steel material	Mtr	
41	Dead Plug	1/4" size brass material	Nos	
42	Dead Plug	3/8" size brass material	Nos	
43	Dead Plug	5/8" size brass material	Nos	
44	Flare nut	1/4" size brass material	Nos	
45	Flare nut	3/8" size brass material	Nos	
46	Flare nut	5/8" size brass material	Nos	
47	Flare nut	1/2" size brass material	Nos	
48	Piercing valve 1/4"	1/4" size	Nos	
49	PTC relay with OLP	1/8 HP	Nos	2
50	PTC relay with OLP	1/6 HP	Nos	5
51	R-122 drier filter	for split AC	Nos	5
52	R-134a drier filter	for water cooler	Nos	5
53	Refrigerant gas R-134a with cylinder	Cylinder of 2 Kg capacity	Nos	5
54	Refrigerant gas R-22 with cylinder	Cylinder of 5 Kg capacity	Nos	2
55	Shutoff valve	1/4" size-3 way type	Nos	2
56	T-handed type Allen Key	4 mm size	Nos	3
57	Vacuum Pump	2 stage,rotatory type power :1/2 HP,Voltage: 220V/50Hz	Nos	5
58	White tape for AC pipeline insulation	Roll type	Nos	1
59	wire brush	brazz/MS -15cm x 5cm	Rolls	5
60	Square type screw diver	Type; Square ,Shaft Length (mm) :450 ,Total Length (mm) :610	Nos	1
61	Hexa type screw driver	Head Style : Hex, Total length: 190mm ,Handle length: 100mm	Nos	1
62	pentagon type screw driver	Type: Pentagon Head, Length: 2"/ 50mm.	Nos	1
63	Philips screw driver	Philips Head size #00 and 60mm long by 3mm diameter shank,polypropylene handle with thermo plastic rubber (TPR) grip	Nos	1
64	Torx screw driver	T6,T8,T10,T15,T20,T25 ,T30,T40,T45,T50,T55,T60	Nos	2
65	Precision Screwdriver Set	Must includes 24*S2 steel magnetic precision bit heads and approval pen ,aluminium alloy handle,rotatory cap design	Nos	1
66	Spline bit set Screw driver	5PC 30MM Bits :M5,M6,M8,M10,M12 5PC 75MM Bits: M5,M6,M8,M10,M12 IPC 1/2 " Socket Adaptor	Nos	3
67	U shaped Spanner Screw driver	5mm tip, 73mm shank 150 mm total length	Nos	2
68	Y shaped screw driver	5mm tip, 73mm shank 150 mm total length	Nos	2
69	Triangle Shaped screw driver	5mm tip, 73mm shank 150 mm total length	Nos	2

70	Pozidriv screw driver	Standard Blade available in Slotte,cabinet,Phillips,Torx & Square Tip Long Blade available in Slotted,Phillips & torx tips Mini available in slotted,Phillips, & Torx tips	Nos	2
71	Hex socket/Allen screw driver	1.5 mm,2.0mm,2.5mm and 3mm Hex screw diver Durable and hard aluminum alloy and steel Total length:173mm/7inch	Nos	3
72	Mortorq screw driver	Length 25.4mm 1/4" hex bit drive	Nos	2
73	Frearson Screw Driver	200mm length,sharpen tip,alloy steel	Nos	3
74	Supadrive Screw driver	200mm length	Nos	3
75	Poly drive screw driver	Drive:Square,hollow 1/2 inch	Nos	2
76	One way screw driver and remover	1/4 inch one way screw diver and remover Designed for large one -way screws	Nos	1
77	Pentalobe screw driver	Set P2,P5,P6 Point 5-Star 0.8,1.2,and 1.5mm	Nos	3
78	Right Angle Screw driver	PH1,PH2,PA3,3/16 in,1/4in,T15and T20	Nos	3
79	Jaw Puller	1 in jaw reach,1 in Jas spread reversible jaw	Nos	2
80	Torque allen key set	inch size	Nos	2
81	Torque allen key set	mm size	Nos	2
82	Mini Tool Bag	material : Nylon and stress points on the bags are double stitched; Secure zipper closure with no space at the closing point; water proof	Nos	4
83	Broken Bolt Screw Extractor Remover set	Length:3-22mm Dimensions:19×10×1(L×W×H)	Nos	2
84	A3 NETWORK MFP (Medium End)	Monochrome Laser Copy/Print Speed: Minimum 20 PPM (A4) Paper Size: A4, A3 RAM: Minimum 128 MB Resolution (Copier): 600X600 dpi or above Port: Network and USB Paper Tray Capacity: Min 100 sheet or higher Paper Feed Trays: Minimum 2 Trays and a Bypass Tray. Paper Sorting for Multiple Copies Warranty: 5 year comprehensive onsite warranty Features: Support for ADF and Auto Duplex OS: Ubuntu and Windows	Nos	1
85	HSS Drill Bit (Steel)	1/1.5,2/2.5,3/3.5,4/4.5,5/5.5,6/6.5,7/7.5,8/8.5,9/9.5,10/10.5,11/11.5,12/12.5,13/13.5 Suitable for all power tool brands	Nos	1
86	Portable Blower	Battery powered	Nos	1

LLP
For Principal