



“ഭരണഭാഷ-മാതൃഭാഷ”

(MOTHER TONGUE IS OUR ADMINISTRATIVE LANGUAGE)

GOVERNMENT MEDICAL COLLEGE

PARIPALLY, KOLLAM-691574

Telephone Office : 0474 2572574, Fax: 0474 2572579 Telephone Principal: 0474-2572572

Electronic mail: gmckollam@gmail.com Section Email: store.gmckollam@gmail.com

Dated: 05/01/2023

No.C1/9418/2022/GMCKLM

TENDER NOTICE

Sealed Competitive Tenders in the Prescribed form are invited for the supply of the following items required for the department of Biomedical Engineering, Government Medical College, Kollam.

Tender should be super scribed with tender number and addressed to the principal, Medical College, Kollam, Pin-691 574. Details can be had from this office on working hours till 5.00 PM

SCHEDULE

Sl. No	Tender No	Name of Items	Qty.	Department	Total Cost	EMD	Cost of Tender form (Inclusive vat)		Last date of sale of Tender form	Last date of receipt of tender	Opening date and time
							Original	Duplicate			
1	18/2022	Spares & Consumables (List attached)	Vari ous	Biomedic al Engineeri ng	₹4,00,000/-	1%	1344	672	19/01/2023 3pm	20/01/2023 2.30pm	20/01/2023 3pm

Tender form will be sent through post if required provided due amount with sufficient postage charge (Rs.50/-) is sent by way of money order in favour of the Principal, Government Medical College, Kollam, Pin-691 574. Money order should reach this office on or before 16/01/2023. No other forms of remittance will be accepted.

For PRINCIPAL



“ഭരണഭാഷ-മാതൃഭാഷ”

സർക്കാർ മെഡിക്കൽ കോളേജ്

പാരിപ്പള്ളി, കൊല്ലം-691574

ടെലഫോൺ: ആഫീസ്-0474 257 2574, ഓഫീസ്: 0474-2572579 ടെലഫോൺ: പ്രിൻസിപ്പാൾ: 0474-2572572

ഇലക്ട്രോണിക് മെയിൽ: gmckollam@gmail.com സെക്ഷൻ ഇലക്ട്രോണിക് മെയിൽ: store-gmckollam@gmail.com

നമ്പർ.സി1/9418/2022/ജി.എം.സി. കൊല്ലം

തീയതി. 05/01/2023

ദർഘാസ് പരസ്യം

കൊല്ലം സർക്കാർ മെഡിക്കൽ കോളേജിലെ ബയോമെഡിക്കൽ വിഭാഗത്തിലേക്കായി ആവശ്യമായ താഴെപ്പറയുന്ന സാധനങ്ങൾ വീയരണം ചെയ്യുന്നതിന് നിശ്ചിത ഫോറത്തിൽ മുദ്രപച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസുകൾ ദർഘാസ് നമ്പരോടുകൂടി നിശ്ചിത തീയതികളുടേപ്പ് പ്രിൻസിപ്പാൾ, ഗവ.മെഡിക്കൽ കോളേജ്, കൊല്ലം - 691 574 എന്ന വിലാസത്തിൽ എത്തിച്ചിരിക്കേണ്ടതാണ്.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പർ	സ്വന്യനങ്ങളുടെ പേര്	എണ്ണം	സിംഗിൾ മെന്റ്	ബയോമെഡിക്കൽ എൻജിനീയറിംഗ്	അടങ്കൽ തുക	പീലി യേറ്റേജ്	ദർഘാസ്		ഫോറം വിൽക്കുന്ന അവസാന തീയതി	ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതി	ഫോറം തുറക്കുന്ന തീയതി
								മോറത്തിന്റെ വില	കൂടുതൽ			
1	18/2022	സ്പെഷ്യലൈസ്റ്റ് കൺസ്യൂമബിൾസ്	വീയം	ബയോമെഡിക്കൽ എൻജിനീയറിംഗ്	1%	₹ 4,00,000/-	1%	1344	672	19/01/2023 3 മണി	20/01/2023 2.30 മണി	20/01/2023 3 മണി

ഫോറങ്ങൾ തപാലിൽ വേണ്ടവർ അയയ്ക്കുന്നതിനുവേണ്ട തുക (രൂപ.50/-) അധികമായി അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ഓഫീസിൽ നേരിട്ടോ മണിയോർഡർ ആയോ സ്വീകരിക്കുന്നതാണ്. അല്ലാതെയുള്ള എല്ലാ അപേക്ഷകളും നിരസിക്കുന്നതാണ്. ഫോറത്തോടൊപ്പം മുദ്രപത്രങ്ങളോ മറ്റേതെങ്കിലും ഡോക്യുമെന്റുകളോ അയയ്ക്കാൻ ആവശ്യപ്പെടുകയാണുണ്ടാകുമ്പോൾ മേൽവിലാസം വ്യക്തമാക്കാത്തതുമായ മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. മണിയോർഡറുകൾ വഴി ഫോറങ്ങൾ ആവശ്യപ്പെടുകയാണുണ്ടാകുമ്പോൾ ഈ ഓഫീസിൽ 16/01/2023 നു മുൻപ് കിട്ടിയിരിക്കണം. താമസിച്ച് കിട്ടുന്ന മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം കൈമാറാൻ പാടില്ലാത്തതും ഒരിക്കൽ അടച്ച തുക തിരിച്ചു കിട്ടുന്നതുമല്ല. താമസിച്ച് കിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ ഈ ആഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

പ്രിൻസിപ്പാളിനുവേണ്ടി


SL NO	ITEM NAME	SPECIFICATION	UNIT	QTY
1	3 pin Plugtop	6A,240V	Nos	10
2	2 pin Plugtop	6A,240V	Nos	20
3	3 core cable	1.5mm ²	Coil (90m)	1
4	3 pin Plugtop	16A	Nos	50
5	4 pin switch with indicator	Flush type	Nos	10
6	AC Capacitor for refrigeration	6 MFD ,400V	Nos	10
7	AC Capacitor for refrigeration	4MFD,400V	Nos	10
8	AC Capacitor for refrigeration	2.5 MFD,400V	Nos	10
9	AC Capacitor for refrigeration	36 MFD,440V	Nos	10
10	AC Capacitor for refrigeration	50 MFD,440V	Nos	5
11	AC Capacitor for refrigeration	55 MFD ,440V	Nos	5
12	Adaptor - AC	24V,2A	Nos	10
13	Adaptor - AC	24V,5A	Nos	10
14	Adaptor - DC	12V,2A	Nos	45
15	Adaptor - DC	6V, 2A	Nos	10
16	Adaptor - DC	18V,2A	Nos	5
17	Araldite	250 gram	Pkt	2
18	Baniyan waste		Kg	10
19	Battery	CR2032	Nos	100
20	Battery 9V	6F22 ,Alkaline	Nos	20
21	Battery AA	Alkaline	Nos	300
22	Battery AAA	Alkaline	Nos	300
23	Battery C Type	Alkaline	Nos	300
24	Battery LR 41	button type	Nos	50
25	Battery LR 44	button type	Nos	25
26	Bearing grease black		Kg	0.5
27	Cable tie	300mm	Pkt	1
28	Cable tie	250mm	Pkt	1
29	Cable tie	200mm	Pkt	1

30	Cable tie	150mm	Pkt	1
31	Cable tie	50mm	Pkt	1
32	Capacitor	5 μ f	Nos	20
33	Capacitor	4 μ f	Nos	20
34	Capacitor	2.5 μ f	Nos	50
35	Capacitor	2 μ f	Nos	100
36	Capacitor	1.5 μ f	Nos	100
37	Capacitors - Non polarised	225J	Nos	20
38	Capacitors - Non polarised	104J,630V	Nos	10
39	Capacitors - Non polarised	477J,400V	Nos	10
40	Capacitors - Non polarised	103J,630V	Nos	10
41	Capacitors - Non polarised	223J,400V	Nos	10
42	Capacitors - Non polarised	223J,2000V	Nos	10
43	Capacitors -AC	2.2 μ f,470 V	Nos	10
44	Capacitors -AC	6.3 μ f,470 V	Nos	10
45	Capacitors -AC	22 μ f,63 V	Nos	10
46	Capacitors -Ceramic(Disc)	0.01 μ f,230 V	Nos	10
47	Capacitors -Ceramic(Disc)	0.1 μ f,230 V	Nos	10
48	Capacitors -Ceramic(Disc)	1 μ f,230 V	Nos	10
49	Capacitors -Ceramic(Disc)	0.22 μ f,230 V	Nos	10
50	Capacitors -Ceramic(Disc)	0.47 μ f,230 V	Nos	10
51	Electrolytic Capacitors Range 0.1 μ f-1000 μ f Assortment kit,10V/16V/25V/50V Aluminium Radial Leads Capacitor Kit	Capacitance Tolerance :electrolytic +/-20% Operating temperature range: -55~+105°C 24 value 500 pcs electrolytic capacitors	Pkt	2
52	NPN Transistors	BC 547 NPN,625mW,0.5A,50V DC current Gain:100 Maximum Operating Frequency:100MHz 600pcs 15 value power transistors; Model:2N2222-S9018 Type npn/pnp	Pkt	5
53	Power transistors	Zener diodes kit,1W Assortment 10 values 1N4738(8.2V),1N4739(9.1V),1N4740(10V),1N4741(11V),1N4742(12V),1N4743(13V),1N4744(15V),1N4	Pkt	2
54	Zener Diode Kit		Pkt	2

55	Double Ended Crocodile Clips	745(16V), IN4746(18V), IN4748(22V). 20pcs each	Pkt	10
56	Carbon brush	N7-9JUZ-2DKU double enden crocodile clip 10 pin Alligator Clip with male connector cable for DIY connection, 20cm length pack of 10	Nos	10
57	Carbon brush	6mmx13mmx27mm square type	Nos	10
58	Carbon brush	4.5mmx9mmx19mm square type	Nos	10
59	Carbon brush	3mmx4mmx9.5mm square type	Nos	10
60	Casing and caping	4mm round	Nos	10
61	Casing and caping	1.5cmx300cm	Nos	10
62	Casing and caping elbow	2cmx300cm	Nos	10
63	Casing and caping elbow	1.5 cm	Nos	10
64	Casing and caping Tee	2 cm	Nos	10
65	Casing and caping Tee	1.5 cm	Nos	10
66	Concrete Nail	2 cm	Nos	100
67	Concrete Nail	1 1/2"	Nos	100
68	Diode	2"	Nos	50
69	Diode	IN4001	Pcs	50
70	Diode	IN4007	Pcs	50
71	Diode	BY 127	Pcs of 5	30
72	Diode -Zener	IRSO	Set	20
73	Diode -Zener	9.5, 1/2 watt	Nos	18
74	Diode -Zener	9.5, 2 watt	Nos	18
75	Diode -Zener	12.2, 1/2 Watt	Nos	20
76	Diode -Zener	12.2, 2 Watt	Nos	20
77	Diode -Zener	24.4, 1/2 Watt	Nos	20
78	Electronic Choke	24.4, 2 Watt	Nos	20
79	Electronic Choke	20W	box	1
80	Fischer	40W	box	1
81	Flurescent Tube	6mm 18 W 2 feet T8,240 Volt color Temperature : 6500kelvin	Box	1
			Nos	20

82	U shaped twin tube	13W, 240Volt 800 lumens Light Output Average Lifetime: 10000 hours	Nos	20
83	Fluxkwick Adhesive		Nos	20
84	Gypsum screw	1 1/2"	Nos	20
85	Gypsum screw	1"	Nos	20
86	Gypsum screw	1/2"	Nos	20
87	Gypsum screw	2"	Nos	20
88	Halogen Bulb	H3-12V,55W	Nos	20
89	Halogen Bulb	Dental Chair halogen Light/Mirchi Lamp With Tail	Nos	20
90	Halogen Bulb	H3-24V,70W	Nos	30
91	Halogen bulb	12V,50W -Reflector type	Nos	30
92	Halogen Light holder Base wire connector	H3 Two pin Power:70 W,Volt: 24 V Luminous flux:1450 Lumens Tolerance:15% Socket Size:17x9.5mm External Material: Ceramic Current: 0.4A Volt: 250V	Nos	10
93	Insulation tape		Nos	10
94	Laryngeoscope Bulb	white LED,thread type	Pkt	1
95	LED Bulb	9W	Nos	25
96	LED Bulb	11W	Nos	25
97	LED Tube light set	20W	Nos	25
98	Metal clad socket with box and 20 A MCB(full set)	20A ,240V	Nos	5
99	M seal	250 gram	Pkt	5
100	Pedestal fan motor	Single phase,60W,2800 RPM, 240 V,50 Hz	Pkt	5
101	Pedestal fan motor bush	209 (Brass coated)	Pkt	5
102	Pendent lamp holder	6A,240V	Pkt	50
103	Rechargeable battery	12 V 7Ah	Nos	10
104	Regulator IC	7812	Nos	10
105	Regulator IC	7912	Nos	25
			Nos	20

106	Regulator IC	7818	Nos	20
107	Rubber Wheel	4" Pillar	Nos	10
108	Rubber Wheel	6" Flat	Nos	30
109	Rubber Wheel	6" Pillar	Nos	20
110	Soldering Flux	20gm bottle	Nos	10
111	Soldering Lead	1 kg	Nos	10
112	Solenoid valve straight two way	3/4" Steam	Nos	15
113	Solenoid valve straight two way	1/2" Water	Nos	15
114	Solenoid valve straight two way	1"	Nos	15
115	Solid state relay	Input:480V AC/16A/20A Output:3-32 V DC	Nos	100
116	Nut and Bolt	12mm	Nos	100
117	Steel screw	1"	Nos	100
118	Switch cleaning spray		Nos	100
119	Teflon Tape		Nos	100
120	Two way modular switch	6A,240V	Nos	35
121	WD 40	200gm	Nos	5
122	Electronic Transformer for halogen lamp	12 V, 100 watt	Nos	10
123	Cristal cube realy	24V DC	Nos	10
124	Cristal cube realy	12 V dc	Nos	10
125	Push Button switch	Voltage Rating:250V AC Current rating:3A Type :SPST Function:Momentary Cotact Resistance:100Ω	Nos	10
126	1ØStep down transformer	9-0-9V	Nos	10
127	1ØStep down transformer	12-0-12V	Nos	10
128	1ØStep down transformer	6-0-6V	Nos	10
129	Heat shrink sleeve	1mm, 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm	Pkt	1 X 10 1 meter each
130	Temperature Controller (Digital)	STC-1000, 220V AC	Nos	3

	Thermostat Module With Temperature Sensor probe	Temperature meter 50~110 degree C Detector Sensor probe 12V	Nos	20
131				
132	Spoke Spoke washer and Spoke nipple	Spoke Nipple: 1.8mm, 2mm, 2.3mm, 2.6mm Spoke: 1.8mm, 2mm, 2.3mm, 2.6mm spoke washer : 9x16mm	Pkt	2
133	SMPS	18V DC, 3.5A	Nos	15
134	SMPS	24 V DC 5A, 60 W & 2A	Nos	10
135	SMPS	9V DC 2A	Nos	10
136	SMPS	6V DC 2A	Nos	10
137	Welding rod	316 1mm ² or 305 or 308 or 304 mm ²	Nos	10
138	IC	LNK 364	Nos	10
139	IC	TNY280 PN *	Nos	50
140	3Phase coil	6000 watt 6 pole	Nos	10
141	Gauze cutting machine's Blade	v Type: Vertically oscillating straight long blade v Length: 240mm(10 inch) v Breadth: 20mm(2cm) v Thickness: 0.40mm(0.04cm) v Stock: 25mm(2.5cm) v Material: Alloy steel, Grade 304 v Cutting height: 210mm(21cm)	Nos	10
142	4 Pole Switch with Indicator	16A, 240 V	Nos	10
143	Charging Valve	1/4"	Nos	5
144	Thermostat for Refrigerator	For 190L	Nos	10
145	Laryngoscope Bulb	0.80W Type E40, Handle materials: Metallic, Dimension 25*6mm	Nos	20
146	Heating element 1KW	Immersion type, Power: 1000W, Includes: 1, Kettle heating element, Volt: 230v, Frequency: 50Hz	Nos	11
147	Heating element 1.5KW	Immersion type, Power: 1500W, Includes: 1, Kettle heating element, Volt: 230v, Frequency: 50Hz	Nos	10
148	Kettle connector	Dimension 5.5x10.3x5.5cm	Nos	10
149	Pressure Guage	0-3000 Pound/inch Sq Burdon tube	Nos	15

Handwritten signature
For Principal